



Total Piping Solution Co. Is one of the leading stockists and distributors of Pipes, Fittings, Flanges, Valves, Gaskets, Stud Bolts and associated equipments. Catering to the Oilfield, Refinery, Petrochemical, Gas, Marine, Energy, Desalination, Civil Construction and allied small to heavy engineering industries in the Middle East, North Africa, the Caspian regions and beyond.


Total Piping Solution Co. operates from a strategically located office in Sharjah Airport Free Zone and about 100,000 Square Feet Facility with a large, enclosed, warehouse in the U.A.E's global hub of the Jebel Ali Free Zone, Dubai. This provides us with excellent access to sea, land and air transportation facilities. Our warehouse is equipped with the most modern material handling and stacking systems allowing efficient, accurate, storage and retrieval methods. maintaining optimal stock levels enables us to meet our customers' requirements in the shortest possible lead times.

Total Piping Solution Co. has the stocks sourced from reputed, international, manufacturers who, in turn, hold the approval of major end-users globally.

Total Piping Solution Co. with its experience, knowledge, competence, capability and commitment to excellence in customer service is ideally placed to meet the wide-ranging needs of your industry in the most efficient manner.

Our courteous, dedicated and responsive Sales department along with our vastly experienced Technical Department provides clients the best possible service-promptly and effeciently.

The success of Total Piping Solution Co. is built on our extensive stocks, our working procedures, professionalism and dedication to the pursuit of excellence in all areas.



### **PIPES**

#### STOCK ITEMS

SEAMLESS CARBON STEEL PIPES: API 5L GR.B/ASTM A106 GR.B/ ASTM A53 GR. B / SA 333 Grade 6 / API 5L X52 / A312 F304 / F304L / F316 / F316L all in accordance with N.A.C.E. MR-01-75 (latest edition).

½" to 16" Diameter in Sch STD to XXS.

½" to 6" Diameter in Sch 40, 80 and 160.

½" to 20" Diameter in Sch Standard to XXS.

### LOW TEMPERATURE STEEL PIPES: ASTM A333 GR.6.


## 1/2" to 24" Diameter in Sch 40, 80, 160 and XXS. ERW CARBON STEEL PIPES: ASTM A120/ ASTM A53 GR.B

### SAW PIPES : API 5L GR.B

26" to 36" Diameter in 5ch STD and XS.

#### WELDED PIPES:

½" to 36" Diameter in Sch 10 and XS.





## **FLANGES**

FORGED CARBON STEEL FLANGES: ASTM A105N/ ASTM A350 LF2/ASTM A694 F52 all in accordance with N.A.C.E MR-01-75 (latest edition)

- 1500 and 2500.

  2" to36" Diameter. PN 10, PN 16 SLIP ON and WELD NECK SERIES.

  Size Ranges (CS): 1/2" to 36"

  Types Weld Neck, Slip On and Blind

- Wall Thickness : Sch 40 to XXS Specifications : ASTM SA105N / SA350 LF2 / SA694 F52 / SA182 / F304 / F304L /

# **FITTINGS**

BUTTWELD FITTINGS: ASTM A234 WPB/ ASTM A420 WPL6 in accordance with N.A.C.E. MR-01-75 (latest edition).

½" to 36" Diameter in Sch STD to XXS.

FORGED CARBON and STAINLESS STEEL SCREWED and SOCKETWELD FITTINGS: ASTM A105N/ A350 LF2/ A182 F304/F304L/ F316/F316L in accordance with N.A.C.E. MR-01-75 (latest edition)

- ½" to 4" Diameter in 3000lb and 6000lb Classes.
  Size: Ranges: 1/8 " to 4"
  Specifications: ASTM SA105N / SA350 LF2 /







Regd. Office: Office No. 10, 2nd Floor, Pushpa Sadan Bldg., 2nd Carpenter Street,

Mumbai - 400 004. INDIA.

Tel.: +91-22-6615 5033 / 6743 9158

Fax: +91-22-2381 2502

E-mail: totalpiping11@gmail.com